


REVISIONS				APPROVALS	
DESCRIPTIONS	BY	DATE	APPROVED	COUNCIL RESOLUTION NO.	3/10/92
				26-92	


* 6" BEHIND 4' ATTACHED SIDEWALK IN RESIDENTIAL ZONES OR AS OTHERWISE APPROVED BY THE CITY ENGINEER.
12" COMMERCIAL ZONES

NOTE:
MINIMUM COVER—BOTH CASES
SEWER MAINS 48" MIN.
WATER 36"
TELE., POWER 24"
GAS 30"
STORMDRAIN 48' MIN.




CASE I
(P.C.C CURB AND GUTTER)

NOTE:
STREET CROSSINGS BY UTILITIES REQUIRE A MINIMUM OF 30" COVER AND TO BE AT RIGHT ANGLES WHEREVER POSSIBLE.



DETAIL "A"
NTS

* RESIDENTIAL ZONES



CASE II
(WITH OR WITHOUT A.C. DIKE)

STREET WIDTH	"X"	"Y" MAX.
20' & 26'	4'	3'
32'	4'	4'

DRAWN BY:
C.A.C.
DESIGNED BY:
S.J.S.
DATE:
2/27/92
FILE NAME:
AT703.DWG

CITY OF ATASCADERO
ENGINEERING DEPARTMENT

LOCATION OF UTILITIES

DRAWING NO.
703